EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1225	(@ad<"20030829" or @rlad<"20030829") and (lns$1 or (L2tP near network near server$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/04 18:26
S33	466	(@ad<"20030829" or @rlad<"20030829") and (lns$1 or (L2tP near network near server$1)) and (lac$1 or (access near concentrator))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/04 17:10
S34	261	(@ad<"20030829" or @rlad<"20030829") and (lns$1 or (L2tP near network near server$1)) and (lac$1 or (access near concentrator)) and load$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/04 17:11
S35	30	(@ad<"20030829" or @rlad<"20030829") and (lns$1 or (L2tP near network near server$1)) and (lac$1 or (access near concentrator)) and load$4 and tunnel$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/04 17:44
S36	14	(@ad<"20030829" or @rlad<"20030829") and (lns$1 or (L2tP near network near server$1)) and (lac$1 or (access near concentrator)) and select$4 near15 (lns$1 or (L2tP near network near server$1)) and tunnel$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/04 18:05
S37	14	(@ad<"20030829" or @rlad<"20030829") and select$4 near15 (lns$1 or (L2tP near network near server$1)) and tunnel$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/04 18:05
S38	0	(@ad<"20030829" or @rlad<"20030829") and select$4 near15 (lns$1 or (L2tP near network near server$1)) and tunnel$4 not S36	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/04 18:05

EAST Search History

S39	5	(@ad<"20030829" or @rlad<"20030829") and select$4 near15 tunnel$4 near terminat$4 near (device$1 or server$1) and tunnel$4 not S36	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/04 18:07
S40	3989128	(@ad<"20030829" or @rlad<"20030829") and select$4 (device$1 or server$1) same weight$4 same tunnel$4 not S36	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/04 18:08
S41	14	(@ad<"20030829" or @rlad<"20030829") and select$4 near10 (device$1 or server$1) same weight$4 same tunnel$4 not S36	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/04 18:09
S42	14	(@ad<"20030829" or @rlad<"20030829") and select$4 near10 (device$1 or server$1) same weight$4 same tunnel$4 not S36 and weight$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/04 18:09
S43	94	(@ad<"20030829" or @rlad<"20030829") and select$4 near10 (device$1 or server$1) same (weight$4 load$4) same tunnel$4 not S36 and weight$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/04 18:10

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2482	(@ad<"20030829" or @rlad<"20030829") and 709/226. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 10:43
L2	14	(@ad<"20030829" or @rlad<"20030829") and (lns$1 or (L2tP near network near server$1)) and (lac$1 or (access near concentrator)) and select$4 near15 (lns$1 or (L2tP near network near server$1)) and tunnel$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 10:42
L3	0	(@ad<"20030829" or @rlad<"20030829") and 709/226. ccls. and select$4 near10 (device$1 or server$1) same (weight$4 load$4) same tunnel$4 not L2 and weight$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 10:43
L4	0	(@ad<"20030829" or @rlad<"20030829") and 709/226. ccls. and (lns$1 or (L2tP near network near server$1)) and (lac$1 or (access near concentrator)) and select$4 near15 (lns$1 or (L2tP near network near server$1)) and tunnel$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 10:42
L5	236	(@ad<"20030829" or @rlad<"20030829") and 370/237. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 10:43
L6	4749	(@ad<"20030829" or @rlad<"20030829") and 370/401. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 10:43

| L7 | | 1 | (@ad<"20030829" or @rlad<"20030829") and 370/401. ccls. and select$4 near10 (device$1 or server$1) same (weight$4 load$4) same tunnel$4 not L2 and weight$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/07 10:43 |
| L8 | | 1 | (@ad<"20030829" or @rlad<"20030829") and 370/237. ccls. and select$4 near10 (device$1 or server$1) same (weight$4 load$4) same tunnel$4 not L2 and weight$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/12/07 10:43 |